C-G-Y-F-I-B-X-Y-T-I-A-L SEE BOTTOM OF	PAGE FOR SPECIAL CONTROLS, IF ANY
INFORMATION REPORT	This material contains information affecting the National Defense of the United States within the meaning of the Espionage Laws, Title 18, U.S.C.
PREPARED AND DISSEMINATED BY	Secs. 793 and 794, the transmission or revelation
CENTRAL INTELLIGENCE AGENCY	
COUNTRY	- -
SUBJECT	DATE DISTRIBUTED
Port Information: Gdynia	NO. OF PAGES NO. OF ENCLS.
NAVY review completed.	5
	SUPPLEMENT TO REPORT #
THIS IS UNEVALUATED INFORMAT	ION
55 /The oppice of maval intelligence furnished the po	25X1
FOR LAC DISSEMINATION IN ACCORDANCE WITH PARAGRAPS	
жо 66-56)7	
	1.
A. Anchorage, Pilot Aboard B. Breakwater Entrance C. Buoy Missing D. Buoy Missing B. New White Flashing Light Buoy F. Berth G. Breakwater Entrance Closed H. Merchant Vessel Hull Under Construction I. Marchant Vessel Fitting Out (seven the James Station; Polish Merchant Tar Passenger Vessel K. Signal Tower L. Polish ED M. Moore-McCormack Line Merchant Vessel; O. Inter-Club P. Polish Haval Training Vessel	m (seven thousand tons) mand gross tons) meand gross tons) meand gross tons meand gross tons Mer; Polish Cargo-
av avenue serime establis 150057	25X1
minefield pilot was engaged and anchorage off subject port. A harbor pilot boards from a motor launch. He was an older man who coul and conducted vessel both in and out of subject power was satisfactory	d speak English only poorly rt on this call. His service re he boarded vessel at her
berth 180305A and was discharged 180350A just outs	ide harbor breakwater.
Color of the Color	4
STATE ARMY NAVY AIR FBI	
OFORN NO DISSEM ABROAD	77249990

LIMITED: Dissembation limited to full-time employees of CIA. AEC and FBI; and, within State and Defense, to the intelligence components other offices producing NIS elements, and higher echology with their immediate supporting statis. Not to be disseminated to consultants, external projects or reserve personnel on short form active dety (excepting individuals who are normally full-time employees of CIA. AEC, FBI. State or Defense) unless the written permission of the originating effice has been obtained through the Assistant Director for Collection and Dissemination

C-O-N-F-I-D-K-N-T-I-A-L


Buring p			- 2 -		25X
wanned t	eriod of call	veather was col	d and windy. Averaging winds were from	ge daily temperature	
force 5.		r jo f. Freval	TING ATMON AGES TEN	m tag outlettest er	
Anchorag			n only one occasion	during call, upon	25
	at designator i		anchorage	at this position is	25>
Earbor	vesse!		r through breakwate:	r entrance labeled missing from positi	25X
shown or	1 NO Chart No 49	928. A new whi		sitioned at designat	
Controls party bo	perded 121325A.	Boarding part	y was composed of the	ator I where control hree men: doctor, o	untan
and aumi	mition, but di	d not seal vess	el's radio, radar, :	ealed all cameras, g master's sextant, pr	
visions, mustered	binoculars, or land vessel va-	r personal effe s not searched.	ets. Yessel's erew Boarding party de	members were not perted vessel 121725	ia.
On depar	rture, vessel w	as not boarded.	Shore passes were	collected by a dock	
guards v	rere posted alor	ngside vessel a	t her bow, stern, a	nd two amidships on the gangway was armo	
with a 🖔	submachine gun	. The guard ar	med with the subman	shine gun, who dis-	
				the non-commissioned craft was assigned	ì
surveill	lance duty in co	onnection with	source's vessel at	any time during peri	
<u>-</u>	277	waterbarren weren -	ermitted to go asnor	re and all took adva	
	the opportunit				•
tage of	the opportunit	y.	and the bound hange of		25
tage of	the opportunity	y. Yessel was ass		n arrival and in lea e steam tugs of abou	25
Hartor (wharf or 500 hors	raft departure by the power.	y. ressel was ass two small tugs.	Both of these ver	n arrival and in lea	25 ving 25
Hartor (wharf or 500 hors	the opportunity	y. ressel was ass two small tugs.	Both of these ver	n arrival and in les e steam tugs of about ot too good," and	25. ving 25.
Harbor C wharf or 500 hors from the	raft departure by to spower. spoor experience no dree	yessel was ass two small tugs. te the vessel h dges, salvage e	Both of these ver- the tugs are "n ad in using them quipment, or ice bro	n arrival and in less e steam tugs of about too good," and sakers present in po	25. ving 25.
Harbor C Wharf or 500 hors from the Berth	raft departure by to the poor experience no dreck vessel abeled designate	yessel was ass two small tugs. se the vessel h dges, salvage e moored 121320A or F. This ber	Both of these ver- the tugs are "n ad in using them quipment, or ice browith starboard side th is the only one	n arrival and in les e steam tugs of about ot too good," and	25 25; 25; 25;
Harbor C wharf or 500 hors from the Berth ls elevator	raft departure by the poor experience no dred vessel abeled designate which is described.	yessel was ass two small tugs. se the vessel h dges, salvage e moored 121320A or F. This ber ribed in paragra	Both of these were the tugs are "mad in using them quipment, or ice browning the browning them with starboard side th is the only one caph 17 below.	n arrival and in lee e steam type of abou ot too good," and cakers present in po e to Indian Quay at alongside the grain dept	25 25. 25. 25. 25. 25.
Harbor C wharf or 500 hors from the Berth berth ls elevator alongsid	the opportunity a departure by the spower. a poor experience no dred vessel abeled designate; which is describe at this bertil	yessel was ass two small tugs. see the vessel h dges, salvage a moored 121320A or F. This ber ribed in paragra h is 32°. India	Both of these verent the tugs are "no ad in using them quipment, or ice brows with starboard side the is the only one caph 17 below. an Quay is of stone	n arrival and in less e steam tugs of about too good," and eakers present in posterior for the grain dept construction and is	25 25 25 25 25 25 25 25
Harbor C wharf or 500 hors from the Berth Is elevator alongsid served be elevator	the opportunity raft departure by the spower. spoor experience and dred vessel abeled designate which is described at this berth by four railroad structures.	yessel was ass two small tugs. see the vessel h dges, salvage s moored 121320A or F. This ber ribed in paragra h is 32°. India d spur tracks li water was suppli	Both of these ver- the tugs are "nad in using them quipment, or ice browith starboard side th is the only one caph 17 below. an Quay is of stone beated on apron betted vessel at this !	n arrival and in less e steam tugs of about too good," and eakers present in poseument of the grain dept construction and is ween wharf facing an berth by hoses. Ves	25 25. 25. 25. 25. 25. 25.
Harbor C wharf or 500 hors from the Berth ls elevator alongsid served b elevator commence	the opportunity raft departure by the spower. spoor experience and dred vessel abeled designate which is described at this berth by four railroad structures.	y. vessel was ass two small tugs. ce the vessel h dges, salvage e moored 121320A or F. This ber ribed in paragra h is 32°. Indi: d spur tracks 1: Water was suppl grain cargo 132	Both of these ver- the tugs are "nad in using them quipment, or ice browith starboard side th is the only one caph 17 below. an Quay is of stone beated on apron beto	n arrival and in less e steam tugs of about too good," and eakers present in poseument of the grain dept construction and is ween wharf facing an berth by hoses. Ves	25 25 25 25 25 25 25 25 25
Berth ls elevator commence complete	the opportunity caft departure by the special separture by the special separture by the special separture by the special separture sepa	y. vessel was ass two small tugs. ce the vessel h dges, salvage e moored 121320A or F. This ber ribed in paragra h is 32°. Indi: d spur tracks 1: Water was suppl grain cargo 132	Both of these ver- the tugs are "nad in using them quipment, or ice browith starboard side th is the only one caph 17 below. an Quay is of stone beated on apron betted vessel at this !	n arrival and in less e steam tugs of about too good," and eakers present in poseument of the grain dept construction and is ween wharf facing an berth by hoses. Ves	25 25. 25. 25. 25. 25. 25.
Berth la elevator alongsid served between complete	the opportunity raft departure by the second of the secon	y. vessel was ass two small tugs. ce the vessel h dges, salvage e moored 121320A or F. This ber ribed in paragre h is 32°. India d spur tracks 1: Water was suppl grain cargo 132: 0300A. Breakwater and 1:	Both of these ver- the tugs are "nad in using them quipment, or ice browith starboard side th is the only one caph 17 below. an Quay is of stone beated on apron betted vessel at this !	n arrival and in less e steam tugs of about too good," and sakers present in poset to Indian Quay at alongside the grain dept construction and is ween wharf facing an berth by hoses. Ves cars on apron and	25 25 25 25 25 25) 25)

C-O-N-F-I-D-K-N-T-I-A-L


HOFORN

NO DISSIN ADROAD

LIMITE



- 3 -



11. Mavail Installations in Oksyvie Area, Including Military Basins 1 and 2

a Polish naval unit which is

reported in paragraph 19 below.

25X1

12.

13.

14. Shippards

at the Paris Commune ship construction yard. A merchant vessel hull was under construction in either a marine way or 25X1 drydock at designator H.

the size of the hull as about seven thousand gross tons. A newly built merchant vessel was being fitted out alongside the northwest side of Busin No 5 at designator I. The latter vessel was estimated at about seven thousand gross tons also. Another new merchant vessel of estimated four thousand gross tons was observed undergoing trials in the area outside the harbor

25X1

C-O-N-F-I-D-E-N-T-I-A-L

NOFCEN


NO DISSIM ABROAD

LDUTED


C-0-W-F-I-D-R-W-T-I-A-L

_ k ._ 25X1 15. Petroleum bunkering station at designator J. A Polish merchant tanker was moored alongand was engaged in 25X1 side at this berth discharging an unknown petroleum product. Four POL storage tanks are located on the Indian Quay at this berth. 25X1 16. 17. Grenary at Indian Quay granary councoded one large and two small through grain elevator concrete elevators. Grain cargo was underload vessel through two large permanent suction pipes and two portable Polish Army suction pipes 25X1 mounted on railroad cars. Only one vessel may be loading or unloading cargo at this granary at a time. Cargo from vessel was discharged directly into railroad cars standing on spur tracks on wharf apron. 25X1 18. Hel Peninsula signal tower at designator K. 25X1 a 350%, one-stack Polish DD moored at berth 19. Maval Vessels labeled designator L The destroyer appeared to be the GROM class DD, BLYSKAWICA, a Polish naval training vessel moored at designator P, 25X1 20. Merchant Vessels 25X1 a Polish merchant tanker moored ahead of his vessel at designator J at the small bunker station on the Indian Quay discharging an unknown petroleum cargo into PCL storage tanks on the Quay. the departure of the Polish tanker at designator J, a Polish cargo-passenger vessel moored at the same berth on 17 Nov 55 and discharged a general cargo. 25X1 21. Miscellaneous Crew members spent most of their time ashore at the "Inter-Club" located at designator O. Refreshments at reasonable prices were available at this cabaret provided for visiting foreign merchant ships, and entertainment in the form of movies was presented. Hostesses were available at this club for dancing and talking, but seamen were warned that prostitution was not permitted and that advances were not to be made to the girls. The hostesses serve one might a week at the club and are employed on a full-time basis in factory work during the days. A wide variety of chandlery goods was available at subject port, including good quality Polish beef and mutton, Czech beer, and imported cheese Butter is smong 25X1 the products still rationed to Polish citizens, and on several occasions Polish individuals boarding vessel on business remarked about the shortages existing in consumer goods in that area. Comment It is noted that security regulations for subject port with respect to the boarding and searching of foreign merchant vessels have been relaxed. Ship construction in the Paris Commune 25X1 yard appears to be very active. all cameras were surrendered for sealing by the boarding party. 7 C-O-H-F-I-D-E-H-T-I-A-L HOPORT NO DISSEM ABROAD LIMITED

Approved For Release 2008/07/25 : CIA-RDP80-00926A008400680001-9



Approved For Release 2008/07/25 : CIA-RDP80-00926A008400680001-9



Plan Views Nov 1955

COMPIDENTIAL

25X1

☆ U. S. GOVERNMENT PRINTING OFFICE: 1953 - 260938

